## Guest Editorial Spectrum and Energy Efficient Design of Wireless Communication Networks: Part I

Yang Yang, Xiaohu You, Markku Juntti, Cheng-Xiang Wang, Harry Leib, and Zhi Ding

**S** PECTRUM efficiency (SE) and energy efficiency (EE) are among the most important venues for technological advances in current and emerging wireless communication networks. The past decade has witnessed tremendous efforts and progress made by both the industry and academia for improving SE. We foresee that the emerging cognitive and self-organizing networks will further increase SE. In recent years, energy and power efficiencies of wireless networks have become more crucial because of the steadily rising energy cost and environmental concerns. While there has been a paradigm shift from improving SE to reducing energy consumption, a dilemma also arises as some EE criteria are in conflict with the SE objectives. Thus, there is an urgent need to address key challenges and state-of-the-art solutions for joint spectrum and energy efficient design (SEED) and optimization of wireless communication networks.

With the above vision, a Call for Papers for a special issue in the IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS, was published in October 2011. The invited topics included system modeling, spectrum and energy efficient architectures and topologies for wireless networks, self-organization and self-optimization techniques for spectrum and energy efficient wireless networks, spectrum and energy efficient link adaptation and resource allocation, multiuser/single-user MIMO techniques for spectrum and energy efficiencies, and signal processing challenges for spectrum and energy efficient wireless networks. By the deadline in April 2012, we received 82 manuscripts, out of which 26 were accepted after a thorough and rigorous review process and 4 were suggested to accept if room.<sup>1</sup> Unfortunately, due to space constraints, several high-quality manuscripts could not be accommodated in this JSAC issue. Further, due to the page

Y. Yang is with the Shanghai Research Center for Wireless Communications (WiCO), P. R. China. (e-mail:yangyang@ieee.org).

X. You is with the National Mobile Communications Research Laboratory, Southeast University, P. R. China. (e-mail:xhyu@seu.edu.cn).

M. Juntti is with the Centre for Wireless Communications (CWC), University of Oulu, Finland, China (e-mail: markku.juntti@ee.oulu.fi).

C.-X. Wang is with the School of Engineering and Physical Sciences, Heriot-Watt University, UK. (e-mail:cheng-xiang.wang@hw.ac.uk).

H. Leib is with the Department of Electrical and Computer Engineering, McGill University, Canada. (e-mail:harry.leib@mcgill.ca).

Z. Ding is with the Department of Electrical and Computer Engineering, University of California Davis, USA. (e-mail:zding@ucdavis.edu).

W. Stark is the J-SAC Board Representative for this issue of IEEE Journal on Selected Areas in Communications.

Digital Object Identifier 10.1109/JSAC.2013.130501

<sup>1</sup>Papers coauthored by Guest Editors were handled independently by Senior Editors.

limit, we will publish two JSAC volumes (May 2013 and Dec 2014) each containing 15 papers.

The first volume published in May 2013 covers three subfields: (i) Spectrum and energy efficient architectures and topologies for wireless networks, (ii) Multiuser/single-user multiple input multiple output (MIMO) techniques for spectrum and energy efficiencies, and (iii) Cross-layer protocols and algorithms for joint spectrum and energy efficiencies.

The first six papers are on spectrum and energy efficient architectures and topologies for wireless networks. The paper by Ni and Collings, entitled, "A New Adaptive Small-Cell Architecture," proposes a new small-cell architecture which reconfigures topologies and frequency bands, adapting to changing traffic demands and interference-mitigating requirements. The new architecture consists of distributed small-cell nodes (SCN) and co-located baseband units (BBU), and adaptively switches the connections between the SCNs and BBUs. The BBUs can even be shared among multiple SCNs that use different frequency bands. The architecture requires fewer BBUs, and the spectrum and energy utilization is significantly more efficient compared with current architectures.

The paper by Soh, Quek, Kountouris and Shin, entitled, "Energy Efficient Heterogeneous Cellular Networks," investigates the design of energy efficient cellular networks through the deployment of sleeping strategies and small cells, as well as the associated tradeoff issues. The authors also formulate optimization problems in the form of power consumption minimization and energy efficiency maximization, and determine the optimal operating regimes for macrocell base stations.

The paper by Guo and O'Farrell, entitled, "Dynamic Cell Expansion with Self-Organizing Cooperation," proposes a novel cell expansion technique, where the coverage area of cells can expand and contract based on the traffic load. This is accomplished by switching off low load cell-sites and compensating for the coverage loss by expanding the neighbouring cells through antenna beam tilting. The multi-cell coordination is resolved by using either a centralized controller or a distributed self-organizing-network (SON) algorithm.

The paper by Tao, Xu, Rehman, Xu and Li, entitled, "A Generic Mathematical Model Based on Fuzzy Set Theory for Frequency Reuse in Cellular Networks," proposes a fuzzy set theory based generic mathematical model for deriving various Soft Fractional FR (SFFR) schemes. The authors use various parameters such as average throughput, spectral and power efficiency to evaluate the derived schemes.

The paper by Cho and Choi, entitled, "Energy-efficient Repulsive Cell Activation for Heterogeneous Cellular Networks," considers a two-tier heterogeneous cellular network (HCN) where macrocells and distributed low power cells, namely daughtercells, are operated in a common spectrum. The authors employ repulsive cell activation in the interfering daughtercell network and see the impact of a minimum separation distance between the daughtercell BSs in terms of coverage under open access and power efficiency.

The paper by Yue, Pan, Fang, and Glisic, entitled, "Spectrum and Energy Efficient Relay Station Placement in Cognitive Radio Networks," proposes a new architecture, which is called the Cognitive Capacity Harvesting network (CCH) to enhance the spectrum and energy efficiencies of CRNs. In CCH, a collection of relay stations (RSs) with cognitive capability are deployed to facilitate the accessing of secondary users (SUs). In this way, the architecture not only removes the requirement of cognitive radios from SUs and reduces their energy consumption, but also increases frequency reuse and enhances spectrum efficiency. The authors study the RS placement strategy in CCH. Considering the NP-hardness of the problem, they also design a framework of heuristic algorithms to compute the near-optimal solutions.

The next four papers are related to multiuser/single-user MIMO techniques for spectrum and energy efficiencies. The paper by He, Sheng, Zhu, You, and Li, entitled, "Energy- and Spectral-Efficiency Tradeoff for Distributed Antenna Systems with Proportional Fairness," proposes an EE scheme with proportional fairness for the downlink multiuser distributed antenna systems (DAS), and exploits multi-criteria optimization method to systematically investigate the relationship between EE and SE, the authors also develop an optimal algorithm to allocate the available power to balance the tradeoff between EE and SE.

The paper by Cheng, Zhang and Zhang, entitled, "Joint Spectrum and Power Efficiencies Optimization for Statistical **OoS** Provisionings Over SISO/MIMO Wireless Networks," proposes an efficient framework to jointly optimize effective spectrum efficiency (ESE) and effective power efficiency (EPE) under different statistical QoS provisionings constraints to support the real-time traffics over wireless networks. And in the mutually beneficial (MB) region, the authors propose a novel strategy to achieve the joint effective spectrum and power efficiencies optimization using the average transmit power control. In the contention-based (CB) region, the authors propose the wireless-relaybased strategy to jointly optimize effective capacity and power efficiency. In both MB and CB regions, the authors develop the dynamic transmit power control strategy and the MIMO-based strategy to jointly maximize the effective spectrum and power efficiencies.

The paper by Nguyen and Krunz, entitled, "Power Minimization in MIMO Cognitive Networks using Beamforming Games," studys the set of precoding matrices (one per frequency channel) at each node, where power, spectrum allocation, and beamformers are optimized to minimize the transmit power. To improve the efficiency of the NE, the authors introduce pricing policies that employ a novel network interference function. The study of the existence and uniqueness of the new NE under pricing are then given. And a sketch of a MAC protocol that implements the above resource allocation and beamforming scheme is also presented.

The paper by Rui, Zhang, Deng, Cheng and Li, entitled, "Mode Selection and Power Optimization for Energy Efficiency in Uplink Virtual MIMO Systems," tackles the EE issue in uplink virtual MIMO systems, which requires the optimization of two interlaced parameters: the number of constituent mobile users in the virtual MIMO and their corresponding power allocation. Then the authors show the existence of a unique globally optimal power allocator for the case without power constraints under the assumption of zero-forcing receivers, and further reveal the impact of power constraints upon power allocation, as compared to its global counterpart, aiming to provide a powerful means for powerconstrained EE optimization. Finally, the authors establish theories, for isometric networks, to narrow down the search range for possible transmission modes, leading to a significant reduction of computational complexity in optimization.

The last five papers are related to cross-layer protocols and algorithms for joint spectrum and energy efficiencies. The paper by Hou and Chen, entitled, "An Energy-Aware Protocol for Self-Organizing Heterogeneous LTE Systems," proposes a model that jointly considers several important characteristics of heterogeneous LTE system, including the usage of OFDMA, the frequency-selective fading for each link, the interference among different links, and the different transmission capabilities of different types of base stations. Based on this model, the authors propose a distributed protocol that improves the spectrum efficiency of the system, which is measured in terms of the weighted proportional fairness among the throughputs of clients, and reduces the cost of energy.

The paper by Man-Cho So and Zhang, entitled, "Distributionally Robust Slow Adaptive OFDMA with Soft QoS via Linear Programming," proposes a novel alternative, termed the slow adaptive OFDMA, to drastically reduce the computational and signaling costs. The proposed scheme adapts subcarrier allocation at a much slower timescale than that of channel fading variation, yet achieves similar system capacity and QoS levels as the optimal fast adaptive OFDMA.

The paper by Chen, Jiang, Xu, and Hu, entitled, "Energy-Efficient Coordinated Scheduling Mechanism for Cellular Communication Systems with Multiple Component Carriers," proposes an energy-efficient coordinated scheduling mechanism to reduce the energy consumption in cellular networks by dynamically switching off component carriers and BSs according to load variations, with special attention on the switching off order and BS transmit power adjustment to maintain service continuity of downlink users.

The paper by Amin, Martin, Deaton, DaSilva, Hussien and Eltawil, entitled, "Balancing Spectral Efficiency, Energy Consumption, and Fairness in Future Heterogeneous Wireless Systems with Reconfigurable Devices," proposes a multi-attribute scheduling algorithm implemented by a central Global Resource Controller (GRC) that manages the resources of several different autonomous wireless systems. To compute the relative importance of each attribute, the authors use the Analytical Hierarchy Process (AHP) that takes interview responses from wireless network providers as input and generates weight assignments for each attribute in the optimization problem.

The paper by Zhou, Hu, Qian and Chen, entitled, "Energy-Spectrum Efficiency Tradeoff for Video Streaming over Mobile Ad Hoc Networks," investigates the properties of EE and SE for video streaming over mobile ad hoc networks by developing an energy-spectrum-aware scheduling (ESAS) scheme. The authors propose an ESAS scheme with a dynamic transmission range, which significantly outperforms the previous minimum-distortion video scheduling in terms of joint EE and SE performance, and derive an achievable EE-SE tradeoff range and a tight upper/lower bound with respect to energyspectrum efficiency index for various node velocities. Through simulations, the authors demonstrate the node mobility is beneficial to EE but not to SE.

Finally, the guest editorial team would like to express their appreciation to all the authors of the papers submitted to this special issue. Moreover, we are grateful to all the anonymous reviewers involved in the review process, for delivering highquality review reports. We would also like to express our gratitude to the JSAC team: the Editor-in-Chief Dr. Martha Steenstrup, the Senior Editor Prof. Wayne Stark, the Executive Editor Laurel Greenidge and the IEEE publications staff (Sue Lange in particular) for their fantastic support and input, which made this issue successful.



Yang Yang received the BEng and MEng degrees in Radio Engineering from Southeast University, Nanjing, P. R. China, in 1996 and 1999, respectively; and the PhD degree in Information Engineering from The Chinese University of Hong Kong in 2002.

Dr. Yang Yang is currently a professor at Shanghai Institute of Microsystem and Information Technology (SIMIT), Chinese Academy of Sciences, and serving as the Director at Shanghai Research Center for Wireless Communications (WiCO). He is a also member of the Founding Team for the School of

Information Science and Technology at Shanghai Tech University, which is jointly established by the Shanghai Municipal Government and the Chinese Academy of Sciences (CAS). Prior to that, he served the Department of Electronic and Electrical Engineering at University College London (UCL), United Kingdom, as a Senior Lecturer, the Department of Electronic and Computer Engineering at Brunel University, United Kingdom, as a Lecturer, and the Department of Information Engineering at The Chinese University of Hong Kong as an Assistant Professor. His general research interests include wireless ad hoc and sensor networks, wireless mesh networks, mobile cellular systems, intelligent transport systems, green and cooperative communications.



Xiaohu You received the B.S., M.S. and Ph.D. degrees in electrical engineering from Nanjing Institute of Technology, Nanjing, China, in 1982, 1985, and 1989, respectively. From 1987 to 1989, he was with Nanjing Institute of Technology as a Lecturer. From 1990 to the present time, he has been with Southeast University, first as an Associate Professor and later as a Professor. His research interests include mobile communications, adaptive signal processing, and artificial neural networks with applications to communications and biomedical engineering. He has

contributed over 40 IEEE journal papers and 2 books in the areas of adaptive signal processing, neural networks and their applications to communication systems. He was the Premier Foundation Investigator of the China National Science Foundation. From 1999 to 2002, he was the Principal Expert of the C3G Project, responsible for organizing China's 3G Mobile Communications R&D Activities. From 2001-2006, he was the Principal Expert of the national 863 FuTURE Project. Dr. You received the excellent paper prize from the China Institute of Communications in 1987 and the Elite Outstanding Young Teacher Awards from Southeast University in 1990, 1991, and 1993. He was also a recipient of the 1989 Young Teacher Award of Fok Ying Tung Education Foundation, State Education Commission of China. Dr. You now is the Chairman of IEEE Nanjing Section. He was selected as IEEE Fellow due to his contributions to development of mobile communications in 2011.



Markku Juntti (S'93-M'98-SM'04) received his M.Sc. (EE) and Dr.Sc. (EE) degrees from University of Oulu, Oulu, Finland in 1993 and 1997, respectively.

Dr. Juntti was with University of Oulu in 1992– 98. In academic year 1994–95 he was a Visiting Scholar at Rice University, Houston, Texas. In 1999–2000 he was a Senior Specialist with Nokia Networks. Dr. Juntti has been a a professor of communications engineering at University of Oulu, Department of Communication Engineering (DCE)

and Centre for Wireless Communications (CWC) since 2000. His research interests include signal processing for wireless networks as well as communication and information theory. He is an author or co-author in some 350 papers published in international journals and conference records as well as in books *WCDMA for UMTS* and *Signal Processing Handbook*. Dr. Juntti is also an Adjunct Professor at Department of Electrical and Computer Engineering, Rice University, Houston, Texas, USA.

Dr. Juntti is an Editor of IEEE TRANSACTIONS ON COMMUNICATIONS and was an Associate Editor for IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY in 2002–2008. He was Secretary of IEEE Communication Society Finland Chapter in 1996–97 and the Chairman for years 2000–01. He has been Secretary of the Technical Program Committee (TPC) of the 2001 IEEE International Conference on Communications (ICC'01), and the Co-Chair of the Technical Program Committee of 2004 Nordic Radio Symposium and 2006 IEEE International Symposium on Personal, Indoor and Mobile Radio Communications (PIMRC 2006). He was the General Chair of 2011 IEEE Communication Theory Workshop (CTW 2011).



**Chengxiang Wang** (S'01-M'05-SM'08) received the BSc and MEng degrees in Communication and Information Systems from Shandong University, China, in 1997 and 2000, respectively, and the PhD degree in Wireless Communications from Aalborg University, Denmark, in 2004.

He has been with Heriot-Watt University, Edinburgh, UK, since 2005, first as a Lecturer, then as a Reader in 2009, and was promoted to a Professor in 2011. He is also an Honorary Fellow of the University of Edinburgh, UK, and a Chair/Guest Professor

of Shandong University, Huazhong University of Science and Technology, and Southeast University, China. He was a Research Fellow at the University of Agder, Grimstad, Norway, from 2001-2005, a Visiting Researcher at Siemens AG-Mobile Phones, Munich, Germany, in 2004, and a Research Assistant at Technical University of Hamburg-Harburg, Hamburg, Germany, from 2000-2001. His current research interests include wireless channel modeling and simulation, green communications, cognitive radio networks, vehicular communication networks, Large MIMO, cooperative MIMO, and B4G wireless communications. He has edited 1 book and published 1 book chapter and over 170 papers in refereed journals and conference proceedings.

Prof. Wang served or is currently serving as an editor for 8 international journals, including IEEE TRANSACTIONS ON VEHICULAR TECH-NOLOGY (2011-) and IEEE TRANSACTIONS ON WIRELESS COMMUNICA-TIONS (2007-2009). He was the leading Guest Editor for IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS, Special Issue on Vehicular Communications and Networks. He served or is serving as a TPC member, TPC Chair, and General Chair for over 70 international conferences. He received the Best Paper Awards from IEEE Globecom 2010, IEEE ICCT 2011, and ITST 2012. He is a Fellow of the IET and a Fellow of the HEA.



**Harry Leib** received the B.Sc. (cum laude) and M.Sc. degrees in Electrical Engineering from the Technion - Israel Institute of Technology, Haifa, Israel in 1977 and 1984 respectively. In 1987 he received the Ph.D. degree in Electrical Engineering from the University of Toronto, Toronto, Canada.

From 1977 to 1984 he was with the Israel Ministry of Defense, working in the area of Communication Systems. After completing his Ph.D. studies, he was with the University of Toronto as a Postdoctoral Research Associate in Telecommunications

(September 1987 to December 1988) and as an Assistant Professor (January 1989–August 1989). Since September 1989 he has been with the Department of Electrical and Computer Engineering at McGill University in Montreal, where he is now as a Full Professor. He spent part of his Sabbatical leave of absence at Bell Northern Research in Ottawa, Ont. Canada (Sept. 1995 to Feb. 1996) working in a CDMA related project. During the other part of his Sabbatical leave of absence (Mar. 1996 to Aug., 1996) he was a Visiting Professor in the Communications Lab of the Helsinki University of Technology in Espoo Finland. At McGill, he teaches undergraduate and graduate courses in Communications, and directs the research of graduate students. His current research activities are in the areas of Digital Communications, Wireless Communication Systems, Detection, Estimation, and Information Theory.

Dr. Leib has been an Editor for Communication and Information Theory for the IEEE TRANSACTIONS ON COMMUNICATIONS since 2000, and an Associate Editor for the IEEE TRANSACTIONS ON VEHICULAR TECHNOL-OGY during 2001-2007. He has been a guest co-editor for special issues of the IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATION on "Differential and Noncoherent Wireless Communication" during 2003-2005, and on "Spectrum and Energy Efficient Design of Wireless Communication Networks" during 2012-2013.



**Zhi Ding** (S'88-M'90-SM'95-F'03) is the Child Family Endowed Professor of Engineering and Entrepreneurship at the University of California, Davis. He also holds a joint appointment as a thousandtalent professorship at Southeast University in Nanjing, China. He received his Ph.D. degree in Electrical Engineering from Cornell University in 1990. From 1990 to 2000, he was a faculty member of Auburn University and later, University of Iowa. Prof. Ding has held visiting positions in Australian National University, Hong Kong University of Sci-

ence and Technology, NASA Lewis Research Center and USAF Wright Laboratory. Prof. Ding has active collaboration with researchers from several countries including Australia, China, Japan, Canada, Taiwan, Korea, Singapore, and Hong Kong.

Dr. Ding is a Fellow of IEEE and has been an active member of IEEE, serving on technical programs of several workshops and conferences. He was associate editor for IEEE TRANSACTIONS ON SIGNAL PROCESSING from 1994-1997, 2001-2004, and associate editor of IEEE SIGNAL PROCESSING LETTERS 2002-2005. He was a member of technical committee on Statistical Signal and Array Processing and member of technical committee on Signal Processing for Communications (1994-2003). Dr. Ding was the Technical Program Chair of the 2006 IEEE Globecom. He is also an IEEE Distinguished Lecturer (Circuits and Systems Society, 2004-06, Communications Society, 2008-09). He served on as IEEE TRANSACTIONS ON WIRELESS COMMUNICATIONS Steering Committee Member (2007-2009) and its Chair (2009-2010). Dr. Ding received the 2012 IEEE Wireless Communication Recognition Award from the IEEE Communications Society and is a coauthor of the text: Modern Digital and Analog Communication Systems, 4th edition, Oxford University Press, 2009.